

End with Gynoflor®

100 million Lactobacillus acidophilus | 0.03 mg Estriol

Restoration of normal vaginal ecosystem



Unique combination of ultra-low dose estriol (0.03 mg) and lactobacilli (*L.acidophilus* KS400) ¹

For initial treatment and maintenance therapy of vaginal atrophy ¹

For the restoration of the vaginal ecosystem ¹

Rx PRESCRIPTION DRUG

Gynoflor®

100 million Lactobacillus acidophilus
0.03 mg Estriol

1 blister of 6 vaginal tablets

Manufactured by: Haupt Pharma Amareg GmbH
Donaustauer Str. 378, 93055 Regensburg, Germany
For: Medinova AG, Switzerland

medinova
SWITZERLAND



BRIEF PRESCRIBING INFORMATION OF GYNOFLOR®

INDICATIONS: Restoration of the Lactobacillus flora after local and / or systemic treatment with anti-infective or chemotherapeutic agents; Atrophic vaginitis due to estrogen deficiency during menopause and postmenopause, or as co-medication to systemic hormone replacement therapy. **DOSAGE:** Restoration therapy: 1 – 2 vaginal tablets daily for 6 – 12 days. Atrophic vaginitis: A dose of 1 vaginal tablet daily is recommended for 6 – 12 days, followed by a maintenance dose of 1 vaginal tablet at 1 – 2 days per week. The vaginal tablets should be inserted deeply into the vagina in the evenings before retiring. **PREGNANCY & LACTATION:** Can be used during pregnancy and lactation. Caution should be exercised when prescribing to pregnant women in the first trimester. **CONTRAINDICATIONS:** Hypersensitive to the active substances or to any of the excipients. Malignant changes (estrogen-dependent tumors) in the breast, uterus or vagina. Endometriosis (suspected or manifest). Vaginal hemorrhaging of unknown origin. Young girls who have not reached sexual maturity should not use this preparation. **PRECAUTIONS / INTERACTIONS:** Lactobacillus acidophilus is sensitive to treatment with numerous anti-infective agents (local or systemic). Simultaneous treatment of such agents may lead to a reduction in the efficacy of Gynoflor®. **ADVERSE EFFECTS:** Local reactions: mild stinging or burning may be expected shortly after administration. Rarely, redness, itching or allergy. **STORAGE:** Store in refrigerator (2 – 8°C). Storage of Gynoflor® at room temperature during 1 – 2 weeks treatment period does not affect its efficacy. **DATE OF REVISION OF PACKAGE INSERT:** OCT 2011.

References:

1. Gynoflor Package Insert October 2011.

For Healthcare Professionals only.

Market Expansion
Services by
www.dksh.com



DKSH Malaysia Sdn. Bhd. (4476-U)
B-11-01, The Ascent, Paradigm, No. 1,
Jalan SS 7/26A, Kelana Jaya, 47301
Petaling Jaya, Selangor Darul Ehsan, Malaysia.
Phone +60 3 7882 8888, Fax +60 3 7882 5555

medinova
SWITZERLAND

WHAD10523V1
Revision date: 3rd May 2023